## **Author Index for Volume 31**

Alcubilla, R., 47 Antonucci, P. L., 119 Antonucci, V., 119 Arab, A. B., 105 Araujo, G. L., 203 Arico, A. S., 119 Augustine, G., 379

Barua, A. K., 13
Batabyal, A. K., 13
Beres, J., 425
Bhattacharya, G., 1
Bicelli, L. P., 283
Birkmire, R. W., 527
Blasco, E., 47
Bowron, J. W., 159
Brafman, H., 23
Bube, R. H., 171
Burke, J., 443

Calderer, J., 47
Carabe, J., 39
Carotta, M. C., 217
Cecchi, G. C., 217
Chaudhuri, P., 13
Chu, J. W., 197
Cocke, D. L., 119
Conrad, N., 443
Corkish, R., 537
Correig, X., 47
Crea, F., 119

Dai, G.-C., 279 Damaskinos, S. D., 159 Deshmukh, L. P., 549 Dickerson, P., 443 Dixon, A. E., 159 Durán, J. C., 497

Fahrenbruch, A. L., 171 Faine, P., 259 Fthenakis, V. M., 513 Garcia, E., 47 Giordano, N., 119

Hampson, C. E., 459 Haneman, D., 197 Hankare, P. P., 549 Holmes, C., 459

Jahns, S., 443

Khare, N., 283 Khouzam, K., 505 Khouzam, L., 505 King, R. J., 395 Kurokawa, K., 151 Kurtz, S. R., 259

Landis, G. A., 297 Larson, D., 443 Li, S. S., 349 Lingenfelter, W., 443 Long, L. P., 459 Loo, R. Y., 349 Luque, A., 203, 237

Ma, H.-L., 279 Makios, V., 57 Makwana, J., 23 Marti, A., 203 Martinelli, G., 217 McCandless, B. E., 527 McClure, J. C., 23 Merli, M., 217 Mialhe, P., 223 Miao, Q.-H., 279 Milias-Argitis, J., 57 Minano, J. C., 237 Moller, H. J., 77 Moskowitz, P. D., 513 Mouhammad, S., 223 Munn, E., 443

Neogy, C., 1

Olson, J. M., 259

Palmeri, D., 217 Passari, L., 217 Pelanchon, F., 223 Piacesi, R. F. D., 459 Prat, L., 47

Ramanachalam, M. S., 379 Ray, S., 13 Raynor, W. C., 459 Razzini, G., 283 Ren, Z.-Z., 279 Riordan, C., 259 Rohatgi, A., 143, 379 Russo, U., 119

Salagnon, J. M., 223 Salmon, N., 443 Sawant, V. S., 549 Schaffer, J. P., 379 Schmidt, G., 444 Singh, V. P., 23 Sudharsanan, R., 143

van Steenwinkel, R., 217 Venier, G., 497 de Vos, A., 181

Weht, R., 497 Weinberg, I., 297, 331 Woodyard, J. R., 297

Yoo, J.-B., 171

Zacharias, Th., 57 Zekry, A., 559 Zheng, Z.-X., 279

## Author Index for Values 31

*	

## **Subject Index for Volume 31**

Amorphous silicon

thickness dependence of light-induced effects in a-Si solar cells, 13

Arsenic

deep-level defects and numerical simulation of radiation damage in GaAs solar cells, 349

efficiency of silicon and GaAs concentrator solar cells operated inside integrating cavity receivers, 203

Bifacial silicon solar cells spectral response degradation of bifacial silicon solar cells, 47

Capacitance

characterization of thin film CdS-CdTe solar cells, 23

numerical analysis of the performance of a photovoltaic array curve tracer by the capacitive load method, 151

Car design

sunrunner: the engineering report, 425 the pride of Maryland: a solar-powered car for G. M. Sunrayce U.S.A., 459 viking XX-Western Washington University's solar race car, 443

Carrier lifetimes

determination of lifetime and surface recombination velocity in solar cells, 223

CdS:As/electrolyte solar cells

some investigations on thickness-dependent electrical behaviour of CdS:As/ electrolyte solar cells, 549

CdTe/CdS solar cells

characterization of thin film CdS-CdTe solar cells, 23

analysis of post deposition processing for CdTe/CdS thin film solar cells, 527

investigation of metalorganic chemical vapor deposition grown CdTe/CdS solar cells, 143

Characterization

a review of selected techniques for characterizing radiation-induced defects in solar cells, 379 Computer

computer-aided analysis of stepped sinewave inverters, 559

Copper

photoelectrochemical, electrolyte electroreflectance and topological characterization of electrodeposited Cu-InSe<sub>2</sub> films, 283

CuInSe<sub>2</sub>

structure and defect chemistry of grain boundaries in CuInSe<sub>2</sub>, 77

effect of a thin intermediate zinc selenide layer on the properties of CuInSe<sub>2</sub> solar cells, 171

degradation processes in polycrystalline copper indium diselenide photoelectrochemical cells, 197

Current-voltage analysis

characterization of the anomalous second junction in Mo/CuInSe<sub>2</sub>/ (CdZn)S/ITO solar cells, 159

Defects

a review of selected techniques for characterizing radiation-induced defects in solar cells, 379

deep-level defects and numerical simulation of radiation damage in GaAs solar cells, 349

Degradation

degradation processes in polycrystalline copper indium diselenide photoelectrochemical cells, 197

Deposition

analysis of post deposition processing for CdTe/CdS thin film solar cells, 527

Design analysis

the pride of Maryland: a solar-powered car for G. M. Sunrayce U.S.A., 459

Disposal

a checklist of suggested safe practices for the storage, distribution, use and disposal of toxic and hazardous gases in photovoltaic cell production, 513 Doping

a two-dimensional photoresponse analysis of preferentially doped polysilicon solar cells, 105

optimization of the junction depth and doping of solar cell emitters, 497

Electrical behaviour

some investigations on thickness-dependent electrical behaviour of CdS:As/electrolyte solar cells, 549

Electrochemical photovoltaic cells photoactive screen-printed pyrite anodes for electrochemical photovoltaic cells, 119

Electrodes

photoactive screen-printed pyrite anodes for electrochemical photovoltaic cells, 119

Electrolyte creep

degradation processes in polycrystalline copper indium diselenide photoelectrochemical cells, 197

Electrolyte electroreflectance

photoelectrochemical, electrolyte electroreflectance and topological characterization of electrodeposited CuInSe<sub>2</sub> films, 283

**Emitters** 

optimization of the junction depth and doping of solar cell emitters, 497

Endoreversible engine

is a solar cell an endoreversible engine?, 181

Fill factor

investigation of metalorganic chemical vapor deposition grown CdTe/CdS solar cells, 143

Numerical analysis of the performance of a photovoltaic array curve tracer by the capacitive load method, 151

First-order circuits

first-order circuits driven by a photovoltaic generator, 57

Gallium

deep-level defects and numerical simulation of radiation damage in GaAs solar cells, 349

efficiency of silicon and GaAs concentrator solar cells operated inside integrating cavity receivers, 203 Grain boundaries

structure and defect chemistry of grain boundaries in CuInSe<sub>2</sub>, 77

Hazardous gases

a checklist of suggested safe practices for the storage, distribution, use and disposal of toxic and hazardous gases in photovoltaic cell production, 513

Hot-spot

removal of the hot-spot problem in photovoltaic modules and arrays, 1

Hydrogen

transient behaviour of short-circuit current and open-circuit voltage in a-Si:H solar cells, 279

I layer

thickness dependence of light-induced effects in a-Si solar cells, 13

I-V characteristics

first-order circuits driven by a photovoltaic generator, 57

Indium

photoelectrochemical, electrolyte electroreflectance and topological characterization of electrodeposited CuInSe<sub>2</sub> films, 283

radiation damage in InP solar cells, 331

Intrinsic point defects

structure and defect chemistry of grain boundaries in CuInSe<sub>2</sub>, 77

Junction depth

optimization of the junction depth and doping of solar cell emitters, 497

Lattice-matched layers

some candidate materials for latticematched liquid-phase epitaxial growth on silicon, 537

Light-induced effects

thickness dependence of light-induced effects in a-Si solar cells, 13

Liquid-phase epitaxy

some candidate materials for latticematched liquid-phase epitaxial growth on silicon, 537

Load

load prioritization and shedding in photovoltaic power system, 505

Load resistance

numerical analysis of the performance

of a photovoltaic array curve tracer by the capacitive load method, 151

Mo/CuInSe<sub>2</sub>/(CdZn)S/ITO solar characterization of the anomalous second junction in Mo/CuInSe<sub>2</sub>/ (CdZn)S/ITO solar cells, 159

Multistep tunnelling

effect of a thin intermediate zinc selenide layer on the properties of CuInSe<sub>2</sub> solar cells, 171

Non-linear solar cells

a new approach to measuring spectral responses of non-linear solar cells, 39

Open-circuit voltage

effect of a thin intermediate zinc selenide layer on the properties of CuInSe<sub>2</sub> solar cells, 171

investigation of metalorganic chemical vapor deposition grown CdTe/CdS solar cells, 143

Transient behaviour of short-circuit current and open-circuit voltage in a-Si:H solar cells, 279

Optics

characterization of thin film CdS-CdTe solar cells, 23

optical aspects in photovoltaic energy conversion, 237

Phosphorus

radiation damage in InP solar cells, 331

Photoelectrochemical cells

degradation processes in polycrystalline copper indium diselenide photoelectrochemical cells, 197

Photoelectrochemical characterization photoelectrochemical, electrolyte electroreflectance and topological characterization of electrodeposited Cu-InSe<sub>2</sub> films, 283

Photoelectrode thickness

some investigations on thickness-dependent electrical behaviour of CdS:As/electrolyte solar cells, 549

Photoresponse

a two-dimensional photoresponse analysis of preferentially doped polysilicon solar cells, 105

Photovoltaic energy conversion optical aspects in photovoltaic energy conversion, 237 Photovoltaic generator

first-order circuits driven by a photovoltaic generator, 57

Photovoltaic modules

removal of the hot-spot problem in photovoltaic modules and arrays, 1

Polysilicon solar cells

a two-dimensional photoresponse analysis of preferentially doped polysilicon solar cells, 105

Power management

load prioritization and shedding in photovoltaic power system, 505

Propulsion

sunrunner: the engineering report, 425 the pride of Maryland: a solar-powered car for G. M. Sunrayce U.S.A., 459

Proton irradiation

spectral response degradation of bifacial silicon solar cells, 47

Pyrite

photoactive screen-printed pyrite anodes for electrochemical photovoltaic cells, 119

Quasi-ohmic contacts

characterization of the anomalous second junction in Mo/CuInSe<sub>2</sub>/ (CdZn)S/ITO solar cells, 159

Radiation

radiation resistance of thin-film solar cells for space photovoltaic power, 297

deep-level defects and numerical simulation of radiation damage in GaAs solar cells, 349

radiation damage in InP solar cells, 331

Recombination

effect of a thin intermediate zinc selenide layer on the properties of CuInSe<sub>2</sub> solar cells, 171

Safe practices

a checklist of suggested safe practices for the storage, distribution, use and disposal of toxic and hazardous gases in photovoltaic cell production, 513

Selenium

photoelectrochemical, electrolyte electroreflectance and topological characterization of electrodeposited CuInSe<sub>2</sub> films, 283 Shadowing

removal of the hot-spot problem in photovoltaic modules and arrays, 1

Shedding

load prioritization and shedding in photovoltaic power system, 505

Short-circuit current

transient behaviour of short-circuit current and open-circuit voltage in a-Si:H solar cells, 279

Silicon

a reverse silicon solar cell, 217 efficiency of silicon and GaAs concentrator solar cells operated inside integrating cavity receivers, 203

some candidate materials for latticematched liquid-phase epitaxy growth on silicon, 537

transient behaviour of short-circuit current and open-circuit voltage in a-Si:H solar cells, 279

Sinewave inverters

computer-aided analysis of stepped sinewave inverters, 559

Solar powered car

solar cars race for the future results of the GM Sunrayce U.S.A. and the World Solar challenge, 395 sunrunner: the engineering report, 425 the pride of Maryland: a solar-powered car for G. M. Sunrayce U.S.A., 459

Viking XX-Western Washington University's solar race car, 443

Space power

radiation resistance of thin-film solar cells for space photovoltaic power, 297

Spectral responses

a new approach to measuring spectral responses of non-linear solar cells, 39

spectral response degradation of bifacial silicon solar cells, 47

Spectral solar radiance

the influence of spectral solar irradiance variations on the performance of selected single-junction and multijunction solar cells, 259 Spectroscopy

photoactive screen-printed pyrite anodes for electrochemical photovoltaic cells, 119

Storage

a checklist of suggested safe practices for the storage, distribution, use and disposal of toxic and hazardous gases in photovoltaic cell production, 513

Surface recombination velocity determination of lifetime and surface recombination velocity in solar cells, 223

Thermal disequilibrium

removal of the hot-spot problem in photovoltaic modules and arrays, 1

Thickness

thickness dependence of light-induced effects in a-Si solar cells, 13

Thin films

characterization of thin film CdS-CdTe solar cells, 23

analysis of post deposition processing for CdTe/CdS thin films solar cells, 527

radiation resistance of thin-film solar cells for space photovoltaic power, 297

Topological characterization

photoelectrochemical, electrolyte electroreflectance and topological characterization of electrodeposited CuInSe<sub>2</sub> films, 283

Tracer

numerical analysis of the performance of a photovoltaic array curve tracer by the capacitive load method, 151

Vapour deposition

investigation of metalorganic chemical vapor deposition grown CdTe/CdS solar cells, 143

Zinc selenide

effect of a thin intermediate zinc selenide layer on the properties of CuInSe<sub>2</sub> solar cells, 171

